GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-A- 332

Date: - 21-04-2023

NAME OF SITE

GRAM PANCHAYAT- Rampur Taharpur
DISTT- Shahjahanpur

BLOCK-Sindhauli

NAME OF AGENCY

M/s NCC Ltd. Shahjahanpur



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwso...agra@yahoo.com

ISO; 9001; 2015

Ground Water Survey Consultancy

REPORT ON GEOPHYSICAL WELL LOGGING

GRAM PANCHAYAT- RAMPUR TAHARPUR, BLOCK- SINDHAULI, DISTT- SHAHJAHANPUR UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 120 mtrs. depth. and Logged depth 120 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 21.April.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral.

Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table

S.No.	Depth	Thickness(Lithology	Expected Water			
	range(m)	m)		Quality			
1.	0 - 5	5	Surface soil				
2.	5 - 17	12	Medium sand	Good			
3.	17 - 20	3	Clay				
4.	20 - 28	8	Medium sand	Good			
5.	28 - 37	9	Clay kankar				
6.	37 - 48*	11	Medium sand	Good			
7.	48 - 54	6	Clay kankar				
8.	54 - 61*	7	Medium sand	Good			
9.	61 - 66	5	Clay kankar				
10.	66 - 72	6	Fine sand	Good			
11.	72 - 78	6	Clay kankar				
12.	78 - 105*	27	Medium sand	Good			
13.	105 - 112	7	Clay kankar Pine sand	Good			
1 54 /	The state of the s			G000			
15.	115 - 120	5	Clay kankar				

Ground Water Survey Consultancy
Agra

Conclusions and Recommendations :-

- 1. The Lithology broadly tallies with that of drill cutting strata chart.
- 2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- The Quality of water is expected Good.
- 4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
- All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist

Ground Water Survey Consultancy

	AGRA, UP, INDIA	GROUND WATER SURVEY	logger Outled by:	DMPL-2	SP (m v)		57-77 MOJE KRIDI	logger Silve:			16.15 16.15	UPLOSSIBLE UPLOSSIBLE	copping Details:	> Neglas	Niclonal /
	<u>A</u>		m V		-				-		nm m				
0-	20-	 	o T	ř i	è :	, –––	ē —	ş	¥ T	\$	함	Ş T	۶ ۲	<u>្</u> ត	ş
					3	<	-	1	-			16.			1
5				Y.	>						1	2			
6-	_	-		12		- 1		er r	38.	-	广	5		1.91	t
15				3		1 - A		_	100		1	P			+
			-	<	11		£"				K	7	-		
20	_			8	8,			4 5			3	3	,	4	I
25	_			3		-	+	2.0			1	7	31 0	21	+
			-	1	10	12%. 1				_	1	2			1
36			2				6		5	25		i d			1
35	_	1 2		1	- 1		7	To.	1					1	Ī
8 -			1		,0,1	<u> </u>		- (14)	-				1	-	ł
			F			111			, 14º				1	111	
45		17	3	1		(1				3	2		1::	-
გ-		=			1.	1.			5	7			_		t
\$-			2	>				5		=	1	-			-
De		3	1				- 15				1	3			
eth (m) 8-		12			1					-	25		-	3	I
S-	_	+_	3			100		1					194		ł
			-	4.3		100	ij)	100	8	3			. 24		1
7	-	15		: 'e'				1	50	2	-	,	(a)	, je	
7-			3	- 0			-	1	5	1				24.	T
8-		5		. Su sk.				. Tr	ole topo			3			ŀ
		3			Sile 1		1.7				2	2	2		
&-	-	WWW.		100				2 3	184	343	5	3			1
8-	_	3	1.3-, A	1	17	11 3. 1	. 4		-		7	خ ک	7		-
5 8-	=						11.00°			1	4	青	4	v .	L
		3		9			1	7			8	3	1	1 2	
ਡ-	-	5	T.	* - 1	-		7.5		3014	W		X			-
55-	-	3	1 1				-			-2	3			1	-
		3					1	5	3	7			11 21	g	
16		5						S	5						
15		\leq					-		K	>		i j	7.0	74 4 K	-
당-년		-3	5	. /	,		7	1	3			h Va		 	

