

Tandhera Sadat
 Mosna
 Mozat Ngr.

N. K. G
 M. Rajd.

Location:

Date: 26/12/2022

GGWC

Depth in m	SP	SN in Ohms	in Feet	Depth in m	SP	SN in ohm	in Feet
0			0.0	41	56	8.1	134.5
1			3.3	42	58	9.5	137.8
2			6.6	43	59	10.3	141.0
3	61	12.3	9.8	44	61	10.6	144.3
4	64	10.8	13.1	45	64	10.9	147.6
5	62	14.2	16.4	46	66	10.9	150.9
6	63	15.9	19.7	47	62	10.3	154.2
7	69	12.1	23.0	48	61	10.2	157.4
8	64	17.9	26.2	49	65	10.8	160.7
9	68	12.2	29.5	50	66	10.6	164.0
10	66	16.1	32.8	51	59	8.2	167.3
11	62	13.2	36.1	52	58	4.6	170.6
12	61	11.6	39.4	53	56	4.6	173.8
13	60	10.1	42.6	54	54	5.7	177.1
14	69	7.2	45.9	55	52	7.5	180.4
15	71	8.3	49.2	56	59	7.1	183.7
16	76	9.6	52.5	57	46	9.2	187.0
17	74	9.5	55.8	58	48	10.1	190.2
18	72	9.5	59.0	59	47	10.3	193.5
19	71	9.8	62.3	60	44	10.0	196.8
20	76	9.2	65.6	61	42	8.2	200.1
21	74	10.0	68.9	62	41	4.5	203.4
22	79	9.9	72.2	63	40	3.2	206.6
23	76	10.1	75.4	64	43	4.8	209.9
24	74	10.0	78.7	65	44	7.8	213.2
25	72	9.9	82.0	66	46	9.8	216.5
26	71	9.8	85.3	67	42	10.5	219.8
27	78	9.2	88.6	68	41	10.9	223.0
28	74	10.6	91.8	69	40	10.9	226.3
29	72	10.2	95.1	70	39	10.8	229.6
30	71	10.1	98.4	71	36	9.2	232.9
31	69	10.2	101.7	72	32	7.1	236.2
32	66	9.8	105.0	73	31	6.9	239.4
33	64	9.5	108.2	74	36	9.1	242.7
34	62	9.8	111.5	75	34	10.0	246.0
35	61	9.3	114.8	76	32	10.3	249.3
36	60	6.3	118.1	77	31	10.0	252.6
37	59	3.8	121.4	78	30	10.1	255.8
38	58	3.9	124.6	79	32	10.5	259.1
39	56	4.4	127.9	80	34	10.3	262.4
40	54	5.3	131.2	81	36	9.8	265.7

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		GGWC in Feet
82	38	9.4		269.0	123	66	9.7		403.44
83	32	9.8		272.2	124	62	9.7		406.72
84	35	9.9		275.5	125	61	9.6		410
85	36	9.9		278.8	126	59	8.8		413.28
86	41	9.5		282.1	127	58	8.9		416.56
87	44	9.6		285.4	128	57	9.1		419.84
88	42	9.6		288.6	129	54	9.2		423.12
89	41	10.3		291.9	130	58	9.3		426.4
90	46	9.8		295.2	131	59	9.6		429.68
91	44	9.6		298.5	132	61	9.8		432.96
92	42	10.4		301.8	133	60	9.9		436.24
93	41	10.5		305.0	134	49	10.0		439.52
94	46	11.0		308.3	135	44	10.4		442.8
95	44	10.9		311.6	136	42	10.2		446.08
96	42	10.2		314.9	137	41	10.2		449.36
97	43	9.4		318.2	138	46	10.5		452.64
98	46	9.5		321.4	139	46	10.6		455.92
99	49	9.0		324.7	140	45	10.5		459.2
100	54	9.6		328.0	141	44	10.8		462.48
101	52	9.8		331.3	142	42	11.1		465.76
102	56	9.7		334.6	143	41	11.2		469.04
103	58	9.8		337.8	144	46	11.3	6.5	472.32
104	59	10.1		341.1	145	44	11.5		475.6
105	61	10.1	MS	344.4	146	41	10.2		478.88
106	62	10.0		347.7	147	46	10.8		482.16
107	66	9.6		351.0	148	44	10.9		485.44
108	64	9.8		354.2	149	45	10.6		488.72
109	65	9.8		357.5	150	48	11.4		492
110	62	9.4		360.8	151	42	11.5		495.28
111	61	9.7		364.1	152	41	11.9		498.56
112	66	9.2		367.4	153				501.84
113	68	9.1		370.6	154				505.12
114	67	9.4		373.9	155				508.4
115	66	8.9		377.2	156				511.68
116	64	8.7		380.5	157				514.96
117	69	9.4		383.8	158				518.24
118	69	9.2		387.0	159				521.52
119	66	9.2		390.3	160				524.8
120	64	9.5		393.6	161				528.08
121	62	9.4		396.9	162				531.36
122	61	9.7		400.2	163				534.64