

Behda Sadat
Morra, Musaltay Ngr.

MS N. K. G
M. Rasat.

Location:

Date: 30/3/2023

GGWC

Purkhor
Arak

Depth in m	SP	SN in Ohms		In Feet	Depth in m	SP	SN in ohm		In Feet
0				0.0	41	61	5.5		134.5
1				3.3	42	62	5.8		137.8
2				6.6	43	63	5.9		141.0
3	24	2.0		9.8	44	64	6.0		144.3
4	22	3.1		13.1	45	62	6.1		147.6
5	21	9.5		16.4	46	61	6.0	ms	150.9
6	26	14.6		19.7	47	66	6.0		154.2
7	28	17.8		23.0	48	62	5.8		157.4
8	24	19.1		26.2	49	64	6.1		160.7
9	22	18.7		29.5	50	65	6.2		164.0
10	21	17.2		32.8	51	62	5.9		167.3
11	26	14.9		36.1	52	61	5.5		170.6
12	24	12.6		39.4	53	64	3.4		173.8
13	22	10.7		42.6	54	68	2.7	clay	177.1
14	21	6.9		45.9	55	69	2.9		180.4
15	26	4.9		49.2	56	71	3.5		183.7
16	28	4.2		52.5	57	72	4.0		187.0
17	29	3.3		55.8	58	71	4.1		190.2
18	36	2.3		59.0	59	69	4.9	FS	193.5
19	34	2.6	clay	62.3	60	68	5.1		196.8
20	38	2.8		65.6	61	66	4.9		200.1
21	39	2.5		68.9	62	64	5.4		203.4
22	41	3.0		72.2	63	62	3.8		206.6
23	44	2.9		75.4	64	64	2.6	clay	209.9
24	42	4.5		78.7	65	49	3.9		213.2
25	46	5.1		82.0	66	46	4.8		216.5
26	48	5.2		85.3	67	48	6.1		219.8
27	49	4.8		88.6	68	49	6.8		223.0
28	56	4.8		91.8	69	46	7.1		226.3
29	54	5.1	ms	95.1	70	44	7.3		229.6
30	52	5.1		98.4	71	42	7.0		232.9
31	56	4.8	FS	101.7	72	41	6.8		236.2
32	54	4.9		105.0	73	46	6.7	ms	239.4
33	52	5.2		108.2	74	42	6.5		242.7
34	51	5.2		111.5	75	41	6.7		246.0
35	56	5.2		114.8	76	40	6.6		249.3
36	54	4.5		118.1	77	46	6.6		252.6
37	52	2.6		121.4	78	44	6.4		255.8
38	51	2.3	cy	124.6	79	42	6.6		259.1
39	56	2.7		127.9	80	48	6.5		262.4
40	58	3.8		131.2	81	49	6.7		265.7

Depth in m	SP	SN		In Feet	Depth in m	SP	SN		In Feet
82	48	6.4		269.0	123	61	5.7		403.44
83	48	6.3		272.2	124	64	5.6		406.72
84	47	6.2		275.5	125	65	5.6		410
85	46	6.1	M.S	278.8	126	62	6.1		413.28
86	44	6.0		282.1	127	61	6.2		416.56
87	42	6.1		285.4	128	66	6.2	M.S	419.84
88	41	6.4		288.6	129	64	6.0		423.12
89	39	6.5		291.9	130	62	6.2		426.4
90	36	6.3		295.2	131	61	6.3		429.68
91	38	6.2		298.5	132	64	6.4		432.96
92	41	6.4	M.S	301.8	133	65	6.4		436.24
93	48	6.9		305.0	134	64	6.3		439.52
94	46	6.6		308.3	135	62	6.3		442.8
95	54	6.5		311.6	136	61	6.0		446.08
96	48	6.5		314.9	137	59	5.9		449.36
97	50	7.0		318.2	138	56	5.8		452.64
98	51	6.2		321.4	139	52	6.0		455.92
99	56	6.5		324.7	140	56	5.7		459.2
100	52	6.5		328.0	141	58	6.0		462.48
101	51	6.5		331.3	142	56	6.2		465.76
102	56	6.5		334.6	143	54	6.2		469.04
103	54	7.5		337.8	144	52	6.1		472.32
104	52	8.0		341.1	145	56	6.1		475.6
105	51	7.1		344.4	146	58	6.6		478.88
106	58	6.8		347.7	147	59	6.5		482.16
107	56	6.6		351.0	148	61	6.7		485.44
108	58	6.5		354.2	149	62	6.7		488.72
109	54	6.3		357.5	150	64	6.6		492
110	59	6.0		360.8	151	66	6.4		495.28
111	56	6.2		364.1	152	62	6.4		498.56
112	58	6.2	M.S	367.4	153	64	6.8		501.84
113	59	6.5		370.6	154				505.12
114	61	6.0		373.9	155				508.4
115	66	6.0		377.2	156				511.68
116	64	5.5		380.5	157				514.96
117	62	5.9		383.8	158				518.24
118	61	6.2		387.0	159				521.52
119	66	6.2		390.3	160				524.8
120	64	6.0		393.6	161				528.08
121	62	5.9		396.9	162				531.36
122	61	5.7		400.2	163				534.64