

**GROUND WATER SURVEY CONSULTANCY**  
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL  
ELECTROLOGGING REPORT**

Ref No:-A-2182

Date:- 08-11-2023

**NAME OF SITE**

GRAM PANCHAYAT- Katia Kammu BLOCK- Bhawalkhera DISTT- Shahjahanpur

**NAME OF AGENCY**

M/s NCC Ltd.  
Shahjahanpur



**GROUND WATER SURVEY CONSULTANCY**  
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations,  
112 A-Shree Nagar Colony, Pirozabad Road, Agra- 282006  
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc\_agra@yahoo.com

**ISO ; 9001 : 2015**

Ground Water Survey Consultancy  
Agra



# REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- AKBARI, BLOCK- KHUDAGANJ KATRA, DISTT- SHAHJAHANPUR  
UNDER  
JAL JIVAN MISSION

## Introduction :

A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 08.Nov.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 9	4	Fine to Medium sand	Medium
3.	9 - 15	6	Clay kankar	
4.	15 - 53	38	Medium sand	Medium
5.	53 - 59	6	Clay kankar	
6.	59 - 65	6	Kankar	
7.	65 - 74	9	Clay kankar	
8.	74 - 105*	31	Medium sand	Medium
9.	105 - 110	5	Clay kankar	
10.	110 - 114*	4	Medium sand	Medium
11.	114 - 118	4	Clay kankar	
12.	118 - 121*	3	Medium sand	Medium
13.	121 - 130	9	Clay kankar	

Ground Water Survey Consultancy



**Conclusions and Recommendations :-**

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (\*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

**Geophysicist**



**Ground Water Survey Consultancy**

Rho a  
 N 16(SN)  
 N 64 (LN)  
 LAT

Location: Logging V Kura Karmu  
 Ecoc-Bhawal'ehra Dist-  
 Saphalapur  
 Log No: DOWNTLOSSNGSsem  
 Date: 03 Nov 2013  
 T: 4  
 12.1  
 Operator: Umesh Gupta (CS)  
 Well Depth:

logger SI No: IGIS/S/02/22-23

logger Model: SP  
 DMP1-2  
 logger Owned by: GROUND WATER SURVEY CONSULTANCY AGRA, UP, INDIA

