

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL
ELECTROLOGGING REPORT

Ref No:-A-308

Date:- 22-02-2023

NAME OF SITE

GRAM PANCHAYAT- Jallopur

BLOCK- Gangeshwari

DISTT- Amroha

NAME OF AGENCY

M/s PNC-SPML-JV
Moradabad

22, CAMAC STREET, BLOCK-A, 3rd FLOOR, KOLKATA-700016



GROUND WATER SURVEY CONSULTANCY


Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO : 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- JALLOPUR, BLOCK- GANGESHWARI, DISTT- AMROHA
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 120 mtrs. depth. and Logged depth 120 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Moradabad.

On the request of Mr. Pankaj Sinha, Sr. Projects Managar. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 22.Feb.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major equifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 10	5	Clay kankar	
3.	10 - 13	3	Fine sand	
4.	13 - 17	4	Clay kankar	
5.	17 - 36	19	Fine to Medium sand	Medium
6.	36 - 46	10	Clay kankar	
7.	46 - 57*	11	Medium sand	Medium
8.	57 - 60	3	Clay kankar	
9.	60 - 76*	16	Medium sand	Medium
10.	76 - 81	5	Clay kankar	
11.	81 - 85	4	Fine sand	Medium
12.	85 - 88	3	Kankar	
13.	88 - 98*	10	Medium sand	Medium
14.	98 - 106	8	Clay kankar	
15.	106 - 112*	6	Fine to Medium sand	Medium
16.	112 - 120	8	Clay kankar	



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting starta chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Ground Water Survey Consultancy

