

# GROUND WATER SURVEY CONSULTANCY

## GEO-PHYSICAL WELL ELECTRIC LOGGING REPORT

Ref No: H-3000

Date: 10-10-2023

### NAME OF SITE

GRAM PANCHAYAT: Bhatapur BLOCK: Mirzapur DIST: Shahjahanpur

### NAME OF AGENCY

M/A HCU Ltd,  
Shahjahanpur



GROUND WATER SURVEY CONSULTANCY  
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations,  
112 A-Three Egan Colony, Firzabad Road, Agra-282006  
(M): 9419260823, 9790625820, 9761163000, Email: gwsc\_agra@yahoo.com

ISO : 9001 : 2015

Ground Water Survey Consultancy



# REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- BHARTAPUR, BLOCK- MIRZAPUR,  
DISTT- SHAHJAHANPUR  
UNDER  
JAL JIVAN MISSION

## Introduction :

A Deep bore hole was drilled 120 mtrs. depth. and Logged depth 120 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 16.Oct.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 12	7	Fine sand	
3.	12 - 20	8	Clay kankar	
4.	20 - 31	11	Medium sand	Medium
5.	31 - 52	21	Clay kankar	
6.	52 - 66*	14	Medium sand	Medium
7.	66 - 105	39	Clay kankar	
8.	105 - 120*	15	Medium sand	Medium



**Conclusions and Recommendations :-**

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (\*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



**Ground Water Survey Consultancy**

