

**GROUND WATER SURVEY CONSULTANCY**  
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL  
ELECTROLOGGING REPORT**

Ref No:-B-2505

Date:- 05-12-2023

**NAME OF SITE**

GRAM PANCHAYAT- And Kheri

BLOCK- Bilaspur

DISTT- Rampur

**NAME OF AGENCY**

M/s PNC-SPML-JV  
Rampur



**GROUND WATER SURVEY CONSULTANCY**

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.  
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006  
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc\_agra@yahoo.com

**ISO ; 9001 : 2015**

Ground Water Survey Consultancy



# REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- AND KHERI, BLOCK- BILASPUR, DISTT- RAMPUR  
UNDER  
JAL JIVAN MISSION

## Introduction :

A Deep bore hole was drilled 110 mtrs. depth. and Logged depth 110 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Rampur.

On the request of M/S PNC-SPML-JV, Rampur.. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 05.Dec.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 26	21	Clay kankar	
3.	26 - 30	4	Fine sand	
4.	30 - 42	12	Clay kankar	
5.	42 - 46	4	Fine sand	Medium
6.	46 - 52	6	Clay kankar	
7.	52 - 58*	6	Fine to Medium sand	Medium
8.	58 - 77	19	Clay kankar	
9.	77 - 85*	8	Medium sand	Medium
10.	85 - 91	6	Clay kankar	
11.	91 - 95*	4	Fine to Medium sand	Medium
12.	95 - 105	10	Clay kankar	
13.	105 - 107*	2	Fine to Medium sand	Medium
14.	107 - 110	3	Clay kankar	

Ground Water Survey Consultancy



**Conclusions and Recommendations :-**

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (\*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

**Geoloist**



Rho a  
 NI6 (SN)  
 NI6(LIN)  
 LAT  
 Logging Details  
 Logging in accordance with  
 Indian Standard IS 15959  
 IS 15959:2006  
 05 Dec 2003  
 14.21  
 (analysis grade logs)  
 Logger S No  
 IGS/S/01/10-11  
 Logger Model  
 SP (mV)  
 DMAPL-2  
 Logger Owned by  
 Ground Water  
 Survey Consultancy  
 Agra UP India  
 India

