

**GROUND WATER SURVEY CONSULTANCY**  
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL  
ELECTROLOGGING REPORT**

Ref No:- 1013

Date:- 12-10-2022

**NAME OF SITE**

GRAM PANCHAYAT- Ghosipura

BLOCK- Hasanpur

DISTT- Amroha

**NAME OF AGENCY**

M/s PNC-SPML-JV

Moradabad

22, CAMAC STREET, BLOCK-A, 3<sup>rd</sup> FLOOR, KOLKATA-700016



**GROUND WATER SURVEY CONSULTANCY**

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc\_agra@yahoo.com

**ISO ; 9001 : 2015**

Ground Water Survey Consultancy





# REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- GHOSIPURA, BLOCK- HASANPUR, DISTT- AMROHA  
UNDER  
JAL JIVAN MISSION


## Introduction :

A Deep bore hole was drilled 120 mtrs. depth. and Logged depth 120 mtra. at above site. Was drilled by M/S PNC-SPML-JV, Moradabad.

On the request of M/S PNC-SPML-JV, Moradabad. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 12.Oct.2022.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major equifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 18	13	Fine to Medium sand	
3.	18 - 26	8	Clay	
4.	26 - 35	9	Fine sand	
5.	35 - 40	5	Clay kankar	
6.	40 - 52*	12	Medium sand	Good
7.	52 - 55	3	Clay kankar	
8.	55 - 64	9	Fine sand	Good
9.	64 - 66	2	Clay kankar	
10.	66 - 87*	21	Medium sand	Good
11.	87 - 97	10	Clay kankar	
12.	97 - 108*	11	Medium sand	Good
13.	108 - 115	7	Clay kankar	
14.	115 - 120*	5	Medium sand	Good



**Conclusions and Recommendations :-**

1. The Lithology broadly tallies with that of drill cutting starta chart.
2. The zones marked with asterisk (\*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Good.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

**Geophysicist**



**Ground Water Survey Consultancy**



