

GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTROLOGGING REPORT

Ref No:-A-2237

Date:- 24-11-2023

NAME OF SITE

GRAM PANCHAYAT- Jamalpur

BLOCK- Mion

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV

Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- JAMALPUR, BLOCK- MION, DISTT- BADAUN UNDER JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 24.Nov.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-


S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 8	3	Clay kankar	
3.	8 - 18	10	Fine sand	
4.	18 - 23	5	Clay kankar	
5.	23 - 30	7	Fine sand	Medium
6.	30 - 33	3	Clay kankar	
7.	33 - 36	3	Fine to Medium sand	Medium
8.	36 - 42	7	Clay kankar	
9.	42 - 67*	25	Medium sand	Medium
10.	67 - 73	6	Clay kankar	
11.	73 - 78*	5	Fine to Medium sand	Medium
12.	78 - 97	9	Clay kankar	
13.	97 - 116*	19	Fine to Medium sand	Medium
14.	116 - 140	24	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Geologist

B
 No. 8
 N16 (S)
 N64(LN)
 LAT

Logging Details:
 Logging for Janta Sur 800
 Meter Drill Bore
 UP LOGGING
 24 Nov 2013
 13:04
 Unearth Geos (AG)

Log No: 21
 10/5/2012-23

Logger: M. V.
 SP (m V)

Logger Model:
 DMAP1-2

Logger Owned by:
 GROUND WATER
 SURVEY
 CONSULTANCY
 AGRA, UP, INDIA

