

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-B-1073

Date:- 22-06-2023

NAME OF SITE

GRAM PANCHAYAT- Kyorar

BLOCK- Milak

DISTT- Rampur

NAME OF AGENCY

M/s PNC-SPML-JV

Rampur

22, CAMAC STREET, BLOCK-A, 3rd FLOOR, KOLKATA-700016



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO 9001 : 2015
Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- KYORAR, BLOCK- MILAK, DISTT- RAMPUR
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 135 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Rampur.

On the request of M/S PNC-SPML-JV, Rampur.. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 22.June.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 22	17	Clay kankar	
3.	22 - 40	18	Medium sand	Medium
4.	40 - 45	5	Clay kankar	
5.	45 - 70*	25	Medium sand	Medium
6.	70 - 73	3	Kankar	
7.	73 - 90*	17	Medium sand	Medium
8.	90 - 94	4	Clay kankar	
9.	94 - 115*	21	Medium sand & kankar	Medium
10.	115 - 120	5	Clay kankar	
11.	120 - 130*	10	Medium sand	Medium
12.	130 - 135	5	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

Rito a
N16 GN
N64 QN
LAT

Logging Details
Type of geophone used
MAGNETIC
LAT (CGS) 22
LAT (WGS) 22
LAT (WGS) 22
LAT (WGS) 22

Logger's Name
IGIS/02/23-24

SP (m V)

Logger Model
DMPL-2

Logger Owned by
Ground Water
Survey Consultancy
Agra UP India

