

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTOLOGGING REPORT**

Ref No:-N-867

Date:- 18-01-2023

NAME OF SITE

Gram Panchayat- Bhikampur Patiram

BLOCK- Samrer

DISTT- Budaun


NAME OF AGENCY

M/s PNC-SPML-JV
Budaun



GROUND WATER SURVEY CONSULTANCY
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- BHIKAMPUR PATIRAM, BLOCK- SAMRER, DISTT.- BUDAUN
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 118 mtrs. depth. and Logged depth 115 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 18.Jan.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 20	15	Clay kankar	
3.	20 - 43	23	Medium sand	Good
4.	43 - 45	2	Clay kankar	
5.	45 - 55*	10	Medium sand	Good
6.	55 - 59	4	Clay kankar	
7.	59 - 80*	21	Medium sand	Good
8.	80 - 86	6	Clay kankar	
9.	86 - 95*	9	Medium sand	Good
10.	95 - 105	10	Clay kankar	
11.	105 - 115*	10	Medium sand	Good



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Good.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

