

GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-B-300

Date:- 27-08-2024

NAME OF SITE

GRAM PANCHAYAT- Mai

BLOCK- Sadabad

DISTT- Hathras

NAME OF AGENCY

M/s ION Exchange India Limited
Hathras



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- MAI, BLOCK- SADABAD, DISTT- HATHRAS
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 110 mtrs. depth. and Logged depth 110 mtrs. at above site. Was drilled by M/s ION Exchange India Limited, Hathras.

On the request of M/s ION Exchange India Limited, Hathras. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 27.Aug.2024

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major Aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

Mud Resistivity = 10.14 Ohms.

Drilling Water Resistivity = 11.33 Ohms.

Approx Water Level = 36 Mtr.

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 35	30	Dry sand	
3.	35 - 44	9	Clay kankar	
4.	44 - 48	4	Kankar sand	Med to Marginally
5.	48 - 53	5	Clay kankar	
6.	53 - 58	5	Fine sand	Med to Marginally
7.	58 - 87	29	Clay kankar	
8.	87 - 90	3	Kankar	Marginally saline
9.	90 - 110	20	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible Development of tube well.
3. The Quality of water is expected Medium to Marginally saline.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Rho a
 N16 (SN)
 NS4(LN)
 LAT

Logging Details:
 No. Logging in the Block
 Estimated Cost (INR)
 UP LOGGING
 27 Aug 2022
 15 16
 0794

Logger S No: IGIS/SO4/21-22

SP (m V)
 Logger Model: DMPL-2
 Logger Owned by: GROUND WATER SURVEY CONSULTANCY - AGRA INDIA

