

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-B- 1284

Date:- 15-07-2023

NAME OF SITE

GRAM PANCHAYAT- Kalampur Urf Kamalpur BLOCK- Amroha DISTT- Amroha

NAME OF AGENCY

M/s PNC-SPML-JV
Amroha
22, CAMAC STREET, BLOCK-A, 3rd FLOOR, KOLKATA-700016



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO : 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- KALAMPUR URF KAMALPUR, BLOCK- AMROHA,
DISTT- AMROHA
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Rampur.

On the request of M/S PNC-SPML-JV, Rampur.. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 15.July.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 12	7	Dry sand	
3.	12 - 22	10	Clay kankar	
4.	22 - 25	3	Fine sand	
5.	25 - 30	5	Clay kankar	
6.	30 - 57*	27	Medium sand	Med to Good
7.	57 - 68	11	Clay kankar	
8.	68 - 101*	33	Medium sand	Med to Good
9.	101 - 108	7	Clay kankar	
10.	108 - 125*	17	Medium sand	Med to Good
11.	125 - 128	3	Clay kankar	
12.	128 - 138*	10	Medium sand	Med to Good
13.	138 - 140	2	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium to Good.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

Rho a
 NI6 (SN)
 NS6(LN)
 LAT
 Logging Details
 Logging Vial number Beck
 Sample ID/ID number
 UPI/OS/NG
 15/01/2013
 11:20
 Address: Gwal (Gwal)
 Logger S/N: IGIS/S/01/10-11
 Logger Model: SP (m V)
 DMEI-2
 Logger Owned by:
 Ground Water
 Survey Consultancy
 Agra UP India
 India

