



DAVAPUR MOHAMMADPUR

			2
			REMARKS 2
			REMARKS 1
		: BHASKAR	RECORDED BY
	ERS	: SHIV DRILLERS	WITNESSED BY
			MUD WEIGHT
			MUD RES
			RM TEMPERATURE
			BOREHOLE FLUID
			CASING TYPE
			CASING BOTTOM
			CASING OD
	CIRC STOPPED :	: 165.04	LOG BOTTOM
	DEPARTURE TIME:	: 2.44	LOG TOP
	ARRIVAL TIME :		BIT SIZE
	LOGGER TD :		DEPTH DRILLER
	RIG NUMBER :	: 17/06/23	DATE
	ELEVATION GL :		DRL MEASURED FROM:
	ELEVATION DF :	1 :	LOG MEASURED FROM:
	ELEVATION KB :	••	PERMANENT DATUM
			UNIQUE WELL ID.
			API NO.
			RANGE
			TOWNSHIP
			SECTION
			LOCATION
		: UP	STATE
			COUNTY
		: HARAKH	FIELD
OTHER SERVICES:	DAVAPUR MOHAMMADPUR	: DAVAPURI	WELL
	ERS	: SHIV DRILLERS	COMPANY
			N A R

ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS







MINING ASSOCIATES PVT. LTD.

GEOPHYSICAL DIGITAL LOGGING REPORT

SITE:	DAVAPUR MOHAMMADPUR	DATE OF LOGGING:	17.06.2023
BLOCK:	HARAKH	DRILLING DEPTH:	167.00 M
STATE:	UTTAR PRADESH	LOGGING DEPTH:	162.00 M
ENGG:	B BHASKAR RAO	LOGGING COMPANY:	Mining Associates Pvt. Ltd.
Rm	0.510 ohm/m	Rw	0.467 ohm/m
DISTRIC	BARABANKI		

AQUIFER:-

The depth zones with high resistivity and relatively low Natural Gamma radioactivity values are referred as Aquifer Zones.

CLAY:-


The depth zones with less resistivity and relatively high Natural Gamma radioactivity values are referred as Clay zones.

NOTE:- These values are only indicative. The thin clay or sand layer does not reveal its actual resistivity value

Sl. No.	Depth		Thickness	Inferred lithology	Remark (Quality of Aquifer
	From (m)	To (m)	(m)	interred lithology	Water)
1	0	10	10	Top Soil	
2	10	42	32	Fine grain sand	Good
3	42	54	12	Clay with sand	
4	54	70	16	Fine grain sand	Good
5	70	80	10	Clay with sand	
6	80	84	4	Fine grain sand	Good
7	84	88	4	Clay with sand	
8	88	91.5	3.5	Fine grain sand	Good
9	91.5	94	2.5	Clay with sand	
10	94	101	7	Fine grain sand	Good
11	101	111.5	10.5	Clay with sand	
12	111.5	117	5.5	Fine grain sand	Good
13	117	162	45	Clay with sand	

NOTE:-

1. ALL zones has intermixed with thin band of kankar



CC;

- 1.Executive Engineer, C.D. (Rural), U.P. Jal Nigam, Ayodhya
- 2.M/S PNC Infratech Limited, Barabanki