

Baheliya T/W DUSII Bahraich

September 2020

M	T	W	T	F	S	S
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

$Q_r = 600 \text{ lpm}$

T/W Size - $200 \times 150 \text{ mm}$

Proposed T/W Assembly

SUNDAY / AUGUST 2020


WEEK 35 / 243-123

291

24

267

30



Mention the logging Report

India is our home, let's not make it dirty.

340M



sketch 21 M.







MAPL



BAHELIYA,PAKARPUR



COMPANY : SHIV DRILLER		OTHER SERVICES:
WELL : BAHELIYA,PAKARPUR	DEPTH	
FIELD : PAKARPUR	SCALE	
COUNTY : INDIA	1:200	
STATE : UP		
LOCATION :		
SECTION :		
TOWNSHIP :		
RANGE :		
API NO. :		
UNIQUE WELL ID. :		
PERMANENT DATUM : MSL	ELEVATION KB :	
LOG MEASURED FROM: GL	ELEVATION DF :	
DRL MEASURED FROM: GL	ELEVATION GL :	
DATE : 12/23/21	RIG NUMBER :	
DEPTH DRILLER : 330	LOGGER TD :	
BIT SIZE : 10	ARRIVAL TIME :	
LOG TOP : -0.11	DEPARTURE TIME:	
LOG BOTTOM : 330.24	CIRC STOPPED :	
CASING OD :		
CASING BOTTOM : 6		
CASING TYPE :		
BOREHOLE FLUID : MUD		
RM TEMPERATURE :		
MUD RES :		
MUD WEIGHT :		
WITNESSED BY : SHIV DRILLERS		
RECORDED BY : ASHOK KUMAR		
REMARKS 1 :		
REMARKS 2 : NQ SIZE		
ALL SERVICES PROVIDED SUBJECT TO STANDARD TERMS AND CONDITIONS		


































140











170











200











230











260











290










320







GEOPHYSICAL DIGITAL LOGGING REPORT

SITE:	BAHELIYA	DATE OF LOGGING:	23.12.2021
BLOCK:	PAKARPUR	DRILLING DEPTH:	330.00 M
STATE:	UTTAR PRADESH	LOGGING DEPTH:	330.00 M
ENGINEER:	ASHOK KUMAR	LOGGING COMPANY:	Mining Associates Pvt. Ltd.

AQUIFER:-

The depth zones with high resistivity and relatively low Natural Gamma radioactivity values are referred as Aquifer Zones.

CLAY:-

The depth zones with less resistivity and relatively high Natural Gamma radioactivity values are referred as Clay zones.

NOTE:- These values are only indicative. The thin clay or sand layer does not reveal its actual resistivity value

Sl. No.	Depth		Thickness (m)	Inferred lithology	Remark(Quality of Aquifer Water)
	From (m)	To (m)			
1	0	10	10	Top Soil	
2	10	77	67	Medium to Fine grained Sand	Good
3	77	90	13	Clay with sand	
4	90	112	22	Medium to Fine grained Sand	Good
5	112	114	2	Clay with sand	
6	114	130	16	Medium to Fine grained Sand	Medium
7	130	135	5	Clay with sand	
8	135	150	15	Medium to Fine grained Sand	Good
9	150	153	3	Clay with sand	
10	153	195	42	Medium to Fine grained Sand	Good
11	195	201	6	Clay with sand	
12	201	225	24	Medium to Fine grained Sand	Good
13	225	236	11	Clay	Proper for Cement Ceiling
14	236	240	4	Fine grained Sand	Poor
15	240	245.5	5.5	Clay with sand	
16	245.5	251	5.5	Fine grained Sand	Poor
17	251	257	6	Clay with sand	
18	257	279	22	Fine grained Sand	Poor
19	279	292	13	Medium to Fine grained Sand	Good
20	292	300	8	Clay with sand	
21	300	305	5	Fine grained Sand	Poor
22	305	310	5	Clay with sand	
23	310	320	10	Medium to Fine grained Sand	Good
21	320	330	10	Clay with sand	

For Mining Associates Pvt. Ltd

S. Banerjee
Geophysicist